Contents to volume 284

Research Letters

Calcium mobilization in human platelets by receptor agonists and calcium-ATPase inhibitors (FEBS 09788) *B. Brüne, V. Ullrich* 1

Reduction in *cab* and *psb* A RNA transcripts in response to supplementary ultraviolet-B radiation (FEBS 09789) *B.R. Jordan, W.S. Chow, Å. Strid, J.M. Anderson* 5

The use of tryptophan mutants in identifying the 296 nm transient absorbing species during the photocycle of bacteriorhodopsin (FEBS 09790) *S. Wu, D.-J. Jang, M.A. El-Sayed, T. Marti, T. Mogi, H.G. Khorana* 9

Isolation of type I and type II $GABA_A$-benzodiazepine receptors by immunoaffinity chromatography (FEBS 09791) *J. Zezula, W. Sieghart* 15

The bovine α-lactalbumin promoter directs expression of ovine trophoblast interferon in the mammary gland of transgenic mice (FEBS 09792) *M.G. Stinnakre, J.L. Vilotte, S. Soulier, R. L'Haridon, M. Charlier, P. Gaye, J.C. Mercier* 19

Activation-dependent changes in microenvironment of spinach ribulose 1,5-bisphosphate carboxylase/oxygenase (FEBS 09794) *U.S. Purohit, N.C. Verma, A.S. Bhagwat* 23

Calcium is sufficient but not necessary for activation of sheep platelet cytosolic phospholipase A_2 (FEBS 09795) *L.A. Zupan, K.K. Kruszka, R.W. Gross* 27

Identification of a peptide arising from the specific post-translation processing of secretogranin II (FEBS 09793) *H. Vaudry, J.M. Conlon* 31

Structure of the gene encoding the entire mature E1α subunit of human branched-chain α-keto acid dehydrogenase complex (FEBS 09797) *N. Dariush, C.W. Fisher, R.P. Cox, D.T. Chuang* 34

A small basic ribosomal protein from the extreme thermophilic archaebacterium *Sulfolobus solfataricus* that has no equivalent in *Escherichia coli* (FEBS 09796) *C. Ramirez, K.A. Louie, A.T. Matheson* 39

Fracture healing induces expression of the proto-oncogene *c-fos* in vivo: Possible involvement of the Fos protein in osteoblastic differentiation (FEBS 09799) *S. Ohta, T. Yamamuro, K. Lee, H. Okumura, R. Kasai, Y. Hiraki, T. Ikeda, R. Iwasaki, H. Kikuchi, J. Konishi, C. Shigeno* 42

Electrogenic pump current of sarcoplasmic reticulum Ca^{2+}-ATPase reconstituted at high lipid/protein ratio (FEBS 09798) *F. Cornelius, J.V. Møller* 46

Extended N-terminal sequencing of proteins of the large ribosomal subunit from yeast mitochondria (FEBS 09800) *L. Grohmann, H.-R. Graack, V. Kruft, T. Choli, S. Goldschmidt-Reisin, M. Kitakawa* 51

Mutation in the sphingolipid activator protein 2 in a patient with a variant of Gaucher disease (FEBS 09801) *D. Schnabel, M. Schröder, K. Sandhoff* 57

Inhibition of protein kinase C arrests proliferation of human tumors (FEBS 09802) *M.-D. Miñana, V. Felipo, F. Cortés, S. Grisolía* 60

Apolipoprotein B gene expression in rat intestine: The effect of dietary fiber (FEBS 09803) *A. Mazur, C. Felgines, F. Nassir, D. Bayle, E. Gueux, C. Rémésy, Y. Rayssiguier, P. Cardot* 63

Reactivation of metal-requiring apoenzymes by phytochelatin–metal complexes (FEBS 09804) *J. Thumann, E. Grill, E.-L. Winnacker, M.H. Zenk* 66

Extensive multiplicity of the miscellaneous type of neurotoxins from the venom of the cobra *Naja naja naja* and structural characterization of major components (FEBS 09805) *J. Shafqat, A.R. Siddiqi, Z.H. Zaidi, H. Jörnvall* 70

Natural human monocyte gelatinase and its inhibitor (FEBS 09807) *G. Opdenakker, S. Masure, P. Proost, A. Billiau, J. van Damme* 73

Peptidyl-prolyl *cis-trans* isomerase activity as studied by dynamic proton NMR spectroscopy (FEBS 09806) *D. Hübner, T. Drakenberg, S. Forsén, G. Fischer* 79

Activation of Epstein-Barr virus promoters by a growth-factor and a glucocorticoid (FEBS 09808) *C. Schuster, S. Chasserot-Golaz, G. Beck* 82

Growth inhibition of lysozyme crystals at high hydrostatic pressure (FEBS 09809) *M. Groß, R. Jaenicke* 87

Comparison of structures of dry and wet hen egg-white lysozyme molecule at 1.8 Å resolution (FEBS 09814) *G.S. Kachalova, V.N. Morozov, T.Ya. Morozova, E.T. Myachin, A.A. Vagin, B.V. Strokopytov, Yu.V. Nekrasov* 91

The effects of substrates, products and other ligands on the susceptibility of inositol monophosphatase to proteolysis by endoprotease lys-C (FEBS 09811) *N.S. Gee, M.R. Knowles, G. McAllister, C.I. Ragan* 95

Nanosecond electron transfer kinetics in photosystem I following substitution of quinones for vitamin K_1 as studied by time resolved EPR (FEBS 09817) *I. Sieckman, A. van der Est, H. Bottin, P. Sétif, D. Stehlik* 98

Regulation of glutathione *S*-transferase gene expression by phenobarbital in cultured adult rat hepatocytes (FEBS 09815) *Y. Vandenberghe, L. Tee, F. Morel, V. Rogiers, A. Guillouzo, G. Yeoh* 103

Degradation of cells dying by apoptosis leads to accumulation of ε(γ-glutamyl)lysine isodipeptide in culture fluid and blood (FEBS 09816) *L. Fesus, E. Tarcsa, N. Kedei, F. Autuori, M. Piacentini* 109

Receptor-activated cytoplasmic Ca^{2+} spikes in communicating clusters of pancreatic acinar cells (FEBS 09818) *C.C.H. Petersen, O.H. Petersen* 113

Primary structure and location of the genome-linked protein (VPg) of grapevine fanleaf nepovirus (FEBS 09819) *M. Pinck, J. Reinbolt, A.M. Loudes, M. Le Ret, L. Pinck* 117

Down-regulation of a kinase defective PKC-α (FEBS 09810) *C. Pears, P.J. Parker* 120

Yeast α-mating factor receptor-linked G-protein signal transduction suppresses *Ras*-dependent activity (FEBS 09820) *S.J. Arkinstall, S.G. Papasavvas, M.A. Payton* 123

Enrichment of bacteriochlorophyll *g'* in membranes of *Heliobacterium chlorum* by ether extraction: Unequivocal evidence for its existence in vivo (FEBS 09822) *M. Kobayashi, T. Watanabe, I. Ikegami, E.J. van de Meent, J. Amesz* 129

Book Reviews 132

Errata and Corrigenda 142

Announcements 143

FEBS News 144

Hypothesis

Vitamins C and E donate single hydrogen atoms in vivo (FEBS 09838) *D. Njus, P.M. Kelley* 147

Research Letters

Developmental expression of cloned cardiac potassium channels (FEBS 09827) *S.L. Roberds, M.M. Tamkun* 152

Published by Elsevier Science Publishers B.V.

Molecular cloning of a novel putative G-protein coupled receptor expressed during rat spermiogenesis (FEBS 09821) *W. Meyerhof, R. Müller-Brechlin, D. Richter* 155
The complete amino acid sequence of ribonuclease from the seeds of bitter gourd (*Momordica charantia*) (FEBS 09823) *H. Ide, M. Kimura, M. Arai, G. Funatsu* 161
Resonance Raman studies of the [4Fe-4S] to [2Fe-2S] cluster conversion in the iron protein of nitrogenase (FEBS 09826) *W. Fu, T.V. Morgan, L.E. Mortenson, M.K. Johnson* 165
Subcellular distribution of enzymes involved in the biosynthesis of cyanelle murein in the protist *Cyanophora paradoxa* (FEBS 09825) *B. Plaimauer, B. Pfanzagl, J. Berenguer, M.A. de Pedro, W. Löffelhardt* 169
Change in charge of an unvaried heme contact residue does not cause a major change of conformation in cytochrome *c* (FEBS 09828) *A.G.P. Thurgood, G.J. Pielak, R.L. Cutler, A.M. Davies, C. Greenwood, A.G. Mauk, M. Smith, D.J. Williamson, G.R. Moore* 173
Assignment of the ^{15}N NMR spectra of reduced and oxidized *Escherichia coli* thioredoxin (FEBS 09824) *K. Chandrasekhar, G. Krause, A. Holmgren, H.J. Dyson* 178
Atropine dissociates complexes of muscarinic acetylcholine receptor and guanine nucleotide-binding protein in heart membranes (FEBS 09829) *D.F. Matesic, G.R. Luthin* 184
Talin binds to actin and promotes filament nucleation (FEBS 09830) *S. Kaufmann, T. Piekenbrock, W.H. Goldmann, M. Bärmann, G. Isenberg* 187
On the mechanism of rotenone-insensitive reduction of quinones by mitochondrial NADH:ubiquinone reductase: The high affinity binding of NAD^+ and NADH to the reduced enzyme form (FEBS 09831) *N.K. Čėnas, D.A. Bironaitė, J.J. Kulys* 192
Binding of ATP to uncoupling protein of brown fat mitochondria as studied by means of spin-labeled ATP derivatives (FEBS 09832) *P. Jakobs, A. Braun, P. Jezek, W.E. Trommer* 195
Sub-picosecond dynamics of excited state of primary electron donor in reaction centers of *Rhodopseudomonas viridis* as revealed by hole burning at 1.7K broad and narrow holes (FEBS 09834) *A.O. Ganago, A.Ya. Shkuropatov, V.A. Shuvalov* 199
Metaphase chromosomes from mammalian cells stimulate fusion of artificial phospholipid vesicles (FEBS 09833) *L.A. Balakireva, N.D. Belyaev, V.G. Budker, E.V. Kiseleva* 203
ATP-dependent reversible association of proteasomes with multiple protein components to form 26S complexes that degrade ubiquitinated proteins in human HL-60 cells (FEBS 09835) *E. Orino, K. Tanaka, T. Tamura, S. Sone, T. Ogura, A. Ichihara* 206
A novel γ subunit of the $GABA_A$ receptor identified using the polymerase chain reaction (FEBS 09836) *D. Wilson-Shaw, M. Robinson, C. Gambarana, R.E. Siegel, J.M. Sikela* 211
The plasma level of 7α-hydroxy-4-cholesten-3-one reflects the activity of hepatic cholesterol 7α-hydroxylase in man (FEBS 09837) *M. Axelson, I. Björkhem, E. Reihnér, K. Einarsson* 216
The Na^+/H^+ exchanger is phosphorylated in human platelets in response to activating agents (FEBS 09840) *A.A. Livne, C. Sardet, J. Pouyssegur* 219
Rat platelets are deficient in internal Ca^{2+} release and require influx of extracellular Ca^{2+} for activation (FEBS 09841) *J.W.M. Heemskerk, M.A.H. Feijge, E. Rietman, G. Hornstra* 223
Slow electrogenic events in the cytochrome bc_1-complex of *Rhodobacter sphaeroides*: The electron transfer between cytochrome *b* hemes can be non-electrogenic (FEBS 09842) *A.Ya. Mulkidjanian, M.D. Mamedov, L.A. Drachev* 227
Probing DNA triple helix structure by chemical ligation (FEBS 09843) *N.G. Dolinnaya, O.V. Pyatrauskene, Z.A. Shabarova* 232
Change of intracellular calcium of neural cells induced by extracellular ATP (FEBS 09844) *Y. Hirano, F. Okajima, H. Tomura, M.A. Majid, T. Takeuchi, Yoichi Kondo* 235
Interaction between the left-handed Z-DNA and polyamine: The crystal structure of the $d(CG)_3$ and *N*-(2-aminoethyl)-1,4-diamino-butane complex (FEBS 09847) *H. Ohishi, S. Kunisawa, G. van der Marel, J.H. van Boom, A. Rich, A.H.-J. Wang, K. Tomita, T. Hakoshima* 238
Histone H4 acetylation in *Drosophila*: Frequency of acetylation at different sites defined by immunolabelling with site-specific antibodies (FEBS 09848) *R.J.L. Munks, J. Moore, L.P. O'Neill, B.M. Turner* 245
Antigen receptor-mediated calcium signals in B cells as revealed by confocal fluorescence microscopy (FEBS 09849) *H. Yamada, J. Mizuguchi, M. Nakanishi* 249
Native *Xenopus* oocytes express two types of muscarinic receptors (FEBS 09845) *A. Davidson, G. Mengod, N. Matus-Leibovitch, Y. Oron* 252
Nucleotide sequences of the continuous and separated petA, petB and petD chloroplast genes in *Chlamydomonas reinhardtii* (FEBS 09846) *S. Büschlen, Y. Choquet, R. Kuras, F.-A. Wollman* 257
Influence of the steric barrier activity of amphipathic poly(ethyleneglycol) and ganglioside GM_1 on the circulation time of liposomes and on the target binding of immunoliposomes in vivo (FEBS 09850) *A. Mori, A.L. Klibanov, V.P. Torchilin, L. Huang* 263
Relationship between surface hydrophilicity of a protein and its stability against denaturation by organic solvents (FEBS 09852) *Yu.L. Khmelnitsky, A.B. Belova, A.V. Levashov, V.V. Mozhaev* 267
Preliminary X-ray crystallographic analysis of tryptophanase from *Escherichia coli* (FEBS 09855) *Y. Kawata, S. Tani, M. Sato, Y. Katsube, M. Tokushige* 270
F_0F_1-ATPase from *Vibrio alginolyticus*: Subunit composition and proton pumping activity (FEBS 09853) *O.Yu. Dmitriev, I.A. Krasnoselskaya, S. Papa, V.P. Skulachev* 273
Characterization of PC2, a mammalian Kex2 homologue, following expression of the cDNA in microinjected *Xenopus* oocytes (FEBS 09854) *K.I.J. Shennan, S.P. Smeekens, D.F. Steiner, K. Docherty* 277
Amphibian myocardial angiotensin II receptors are distinct from mammalian AT_1 and AT_2 receptor subtypes (FEBS 09858) *K. Sandberg, H. Ji, M.A. Millan, K.J. Catt* 281
Nucleosomes occurring in protein-free hybridoma cell culture: Evidence for programmed cell death (FEBS 09856) *F. Franěk, J. Dolníková* 285
Structure of coiled β–β-hairpins and β–β-corners (FEBS 09851) *A.V. Efimov* 288

Commentary

The Hofmeister series and ionic strength (FEBS 09839) *R. Leberman* 293

Author index to volume 284 295

Contents to volume 284 299